Page 1/6

Revision: 19.08.2011

Printing date 19.08.2011

### 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Bylamet HT-3 | Bylamet HT-100 | Bylamet HT-1500
- · CAS Number:

7085-85-0

· EC number:

230-391-5

· Index number:

607-236-00-9

- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Adhesives
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: BYLA GmbH, Industriestr. 12, D-65594 Runkel
- · Further information obtainable from: Abteilung Umweltschutz, eMail: contact@byla.de
- · Emergency telephone number: Tel. +49-(0)-6482-91200, contact@byla.de

### 2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

(Contd. on page 2)

- GB

Page 2/6

Revision: 19.08.2011

Printing date 19.08.2011

Trade name: Bylamet HT-3 | Bylamet HT-100 | Bylamet HT-1500

(Contd. of page 1)

#### 3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

7085-85-0 ethyl 2-cyanoacrylate

Identification number(s)

• **EC** number: 230-391-5

· Index number: 607-236-00-9

#### 4 First aid measures

- · Description of first aid measures
- · After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Breathing difficulty
- Indication of any immediate medical attention and special treatment needed In cases of irritation to the lungs, initial treatment with Dexametason metered aerosol.

## 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Carbon monoxide (CO)

Nitrogen oxides (NOx)

- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

(Contd. on page 3)

Page 3/6

Revision: 19.08.2011

Printing date 19.08.2011

Trade name: Bylamet HT-3 | Bylamet HT-100 | Bylamet HT-1500

(Contd. of page 2)

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

7085-85-0 ethyl 2-cyanoacrylate

WEL | Short-term value: 1.5 mg/m³, 0.3 ppm

- · Additional information: The lists valid during the making were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Nitrile rubber, NBR

- · For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR
- · For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR

- · As protection from splashes gloves made of the following materials are suitable: Natural rubber, NR
- · Not suitable are gloves made of the following materials: Strong material gloves

(Contd. on page 4)

Page 4/6

(Contd. of page 3)

Printing date 19.08.2011 Revision: 19.08.2011

Trade name: Bylamet HT-3 | Bylamet HT-100 | Bylamet HT-1500

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Colourless
• Odour: Characteristic

· Change in condition

**Melting point/Melting range:** Undetermined. **Boiling point/Boiling range:** > 200°C

· Flash point: > 80°C

• Danger of explosion: Product does not present an explosion hazard.

• **Density at 20°C:** 1.05 - 1.08 g/ml

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Viscosity:

**Dynamic at 20°C:** 3 - 2500 mPas

Organic solvents: 0.0 %

· Other information No further relevant information available.

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· Possibility of hazardous reactions

Danger of polymerization.

Reacts with alcohols, amines, aqueous acids and alkalis.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.

GB

Page 5/6

Revision: 19.08.2011

Printing date 19.08.2011

Trade name: Bylamet HT-3 | Bylamet HT-100 | Bylamet HT-1500

(Contd. of page 4)

### 12 Ecological information

- · Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

On the basis of the necessary technical regulations and after consultation with the disposal agent and the relevant authorities, can be disposed of with domestic waste or incinerated with domestic waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

| · E | · European waste catalogue |   |  |  |
|-----|----------------------------|---|--|--|
| 0   | 08 04 06                   | adhesives and sealants sludges free of halogenated solvents |  |  |
| 0   | 08 04 04                   | hardened adhesives and sealants                             |  |  |

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 4 Transport information  |                          |  |
|--|--------------------------|--|
| · UN-Number<br>· ADR, IMDG, IATA                                       | Void                     |  |
| · UN proper shipping name<br>· ADR, IMDG, IATA                         | Void                     |  |
| · Transport hazard class(es)   |                          |  |
| · ADR, IMDG, IATA<br>· Class   | Void                     |  |
| · Packing group<br>· ADR, IMDG, IATA                                   | Void                     |  |
| · Environmental hazards:<br>· Marine pollutant:                        | No                       |  |
| · Special precautions for user   | Not applicable.          |  |
| · Transport in bulk according to Annex<br>MARPOL73/78 and the IBC Code | II of<br>Not applicable. |  |
| · UN "Model Regulation":   | -                        |  |

- GB

Page 6/6

Printing date 19.08.2011

Trade name: Bylamet HT-3 | Bylamet HT-100 | Bylamet HT-1500

(Contd. of page 5)

Revision: 19.08.2011

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Waterhazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Abteilung Umweltschutz
- · Contact: Herr Simon
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

\* \* Data compared to the previous version altered.